

# INDEX MAPS.

## T. 7N, R. 4E. 2<sup>nd</sup> Mer.

365-366 365-366 365-366 365-366 365-367 365-367

369	6	377	5	380	4	382	3	386	2	392	1	364
	377		379		382		385		391		392	
368	7	376	8	379	9	382	10	385	11	391	12	364
	376		378		381		385		390		390	
368	18	376	17	378	16	381	15	384	14	390	13	364
	375		375	378 378	380		384		389		389	
368	19	375	20	373	21	380	22	383	23	389	24	363
	374		374		373	371 371	383		388		388	
367	30	374	29	372	28	371	27	383	26	387	25	363
	373		374		372		371	370 370	386		387	
367	31	373	32	372	33	370	34	370	35	369	36	362
	361		361		361		362		362		362	

## T. 8N, R. 4E. 2<sup>nd</sup> Mer.

400 399-400 399-400 399-400 399-401 399-401

403	6	425	5	419	4	415	3	411	2	407	1	399
	425		424		419		415		411		407	
403	7	424	8	418	9	414	10	411	11	406	12	398
	423		423		418		414		410		406	
402	18	423	17	418	16	414	15	410	14	406	13	398
	422		422		417		413		409		405	
402	19	422	20	417	21	413	22	409	23	405	24	398
	421		421		417		413		409		404	
401	30	421	29	416	28	412	27	408	26	404	25	397
	420		420		416		412		408		404	
401	31	420	32	416	33	412	34	408	35	403	36	397
	395		395-396		395-396		395-396		395-396		395-397	

The figures on the lines refer to the page.

Township N. 8 North, Range N. 4 East T. 1 Mer Indiana

South Boundary.

West On Random S. boundary of Sec. 36, T8N. R4E.  
 2.35 a Creek 50. links wide Course S. E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 80.00 Set temp<sup>y</sup>. Sec. post Cor. to Sec. 35 & 36, T8N. R4E.

West On Rand<sup>m</sup>. S. boundary of Sec. 35, T8N. R4E.  
 40.00 Set temp<sup>y</sup>. of Sec. post.  
 80.00 Set temp<sup>y</sup>. post Cor. to Sec. 34 & 35, T8N. R4E.

West On Rand<sup>m</sup>. S. boundary of Sec. 34, T8N. R4E  
 33.60 a Branch 6 lks. wide Course S. W.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 78.80 a Branch 8 lks. wide Course S. W.  
 80.00 Set temp<sup>y</sup>. post Cor. to Sec. 33 & 34, T8N. R4E.

West On Rand<sup>m</sup>. S. boundary of Sec. 33, T8N. R4E  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 80.00 Set temp<sup>y</sup>. post Cor. to Sec. 32 & 33, T8N. R4E.

West On Rand<sup>m</sup>. S. boundary of Sec 32, T8N. R4E.  
 5.40 a Branch 6 lks. wide Course S.  
 37.40 a do 5 " " " S. E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 80.00 Set temp<sup>y</sup>. post Cor. to Sec. 31 & 32, T8N. R4E.

West On Rand<sup>m</sup>. S. boundary of Sec. 31, T8N. R4E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 83.50 Set a post Cor. to Township N. 7 & 8 North,  
 Range N. 3 & 4 E, from which  
 a W. Oak 24 in. dia. bran N 64 E 4 lks. dist.  
 a Dogw. 4 " " " N 63 W 6 " "

East On true line S. boundary of Sec. 31, T8N. R4E.  
 43.50 Set true of Sec post on true line, from which  
 a W. Oak 14 in. dia. bran N 39 E 23 lks. dist.

## T8 N. R4 E. 2. Mer. Indiana

a W. Oak 20 in. dist. bray — 43 N. 15 E. dist.  
 83.50 Let a post Cor. to Sec. 31 of 32, from which  
 a Gum 13 in. dist. bray N 72 W 23 E. dist. of  
 a B. Oak 20 " " " N 35 W 32 " "

East On true line S. boundary of Sec. 32, T8 N. R4 E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Beech 12 in. dist. bray N 28 E 6 E. dist. of  
 a Hickory 20 " " " N 11 E 13 " "  
 80.00 Let a post Cor. to Sec. 32 of 33, from which  
 a Maple 8 in. dist. bray N 51 W 18 E. dist. of  
 a W. Oak 18 " " " S 57 E 14 " "

East On true line S. boundary of Sec. 33, T8 N. R4 E.  
 40.00 Let the q. Sec. post on true line, from which  
 a W. Oak 15 in. dist. bray N 82 E 20 E. dist. of  
 a Do 24 " " " N 31 W 22 " "  
 80.00 Let a post Cor. to Sec. 33 of 34, from which  
 a Span. Oak 24 in. dist. bray N 82 E 39 E. dist. of  
 a W. Oak 18 " " " S 31 W 36 " "

East On true line S. boundry of Sec. 34, T8 N. R4 E.  
 40.00 Let the q. Sec. post on true line, from which  
 a B. Oak 10 in. dist. bray N 25 E 24 E. dist. of  
 a Do 8 " " " S 75 E 21 " "  
 80.00 Let a post Cor. to Sec. 34 of 35, from which  
 a W. Oak 14 in. dist. bray N 35 W 6 E. dist. of  
 a Do 12 " " " N 21 E 19 " "

East On true line S. boundary of Sec. 35, T8 N. R4 E.  
 40.00 Let the q. Sec. post, from which  
 a W. Oak 8 in. dist. bray S 66 E 14 E. dist. of  
 a Do 12 " " " S 81 W 50 " "  
 80.00 Let a post Cor. to Sec. 35 of 36, from which  
 a B. Oak 30 in. dist. bray N 27 W 5 E. dist. of  
 a W. Oak 14 " " " S 5 E 17 " "



## T8 N. R4 E. 2. Mer. Indiana

East On true line S. boundy. of Sec. 36, T8 N. R4 E.  
 40.00 Set of. Sec. post on true line, from which  
 a Hickory 13 in. dia. bears N 78 E 10 lks. dist. of  
 a Do 12 " " " 184 W 39 " "  
 80.00 Set a post Cor. to Township N. 7 & 8 North,  
 Range N. 4 & 5 E. from which  
 an Oak 13 in. dia. bears N 4 W 21 lks. dist. of  
 a Hickory 6 " " " 110 E 6 " "  
~~March 24<sup>th</sup> 18~~  
 Surveyed June 3, 1819 by John McDonald  
 D.S.

East Boundary. var. E. 45' E.  
 North On E. boundary of Sec. 36, T8 N. R4 E.  
 9.83 a Beech 20 in. dia. in the line  
 40.00 Set the of. Sec. post, from which  
 a Beech 14 in. dia. bears N 28 E 33 lks. dist. of  
 a Do 22 " " " 118 W 8 " "  
 a Beech 15 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 25 of 36, from which  
 a Beech 7 in. dia. bears N 48 E 10 lks. dist. of  
 a Do 16 " " " N 78 W 14 " "  
 Over level land, timber Beech, Oak &c. underg<sup>d</sup> Spice

North On E. boundary of Sec. 25, T8 N. R4 E.  
 24.32 a Beech 18 in. dia. in the line  
 40.00 Set the of. Sec. post, from which  
 a Beech 9 in. dia. bears N 25 W 24 lks. dist. of  
 a Dogw. 6 " " " N 21 E 15 " "  
 63.82 a W. Oak 36 " " in the line  
 78.10 a Brook 6 lks. wide Course S. W.  
 80.00 Set a post Cor. to Sec. 25 of 24, from which  
 a Beech 13 in. dia. bears S 34 E 20 lks. dist. of  
 an Ash 18 " " " N 73 W 10 " "  
 Over rolling land, timber Beech, Poplar, Oak  
 &c. underg<sup>d</sup> Spice & Vines

T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundary of Sec. 24, T8 N. R4 E.  
22.82 a Beech 20 in. dia.

40.00 Let the q. Sec. post, from which  
a Beech 12 in. dia. bears S 51° W 20 lks. dist. of  
a Do 10 " " " N 50° E 38 " "

46.59 a Beech 18 " "

80.00 Let a post Cor. to Sec. 13 of 24, from which  
a Hickory 13 in. dia. bears S 14° E 18 lks. dist. of  
a Beech 14 " " " N 35° W 12 " "  
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T8 N. R4 E.

10.10 a Beech 22 in. dia.

13.00 a Brook 6 lks. wide Course E.

18.10 a Creek 20 lks. " " " E.

40.00 Let the q. Sec. post from which  
a Beech 20 in. dia. bears S 27° W 24 lks. dist. of  
a Do 8 " " " N 1° E 18 " "

80.00 Let a post Cor. to Sec. 12 of 13, from which  
a ——— 14 in. dia. bears S 66° E 8 lks. dist. of  
a W. Oak 40 " " " East 11 " "  
Over rolling land, timber Beech, Poplar  
Oak &c. underg<sup>th</sup>. Spice & Vines

North On E. boundary of Sec 12, T8 N. R4 E.

40.00 Let the q. Sec. post, from which  
a Beech 12 in. dia. bears N 12° E 10 lks. dist. of  
a Do 8 " " " N 57° E 33 " "

52.03 a Beech 18 " "

62.55 a Brook 5 lks. wide Course E.

80.00 Let a post Cor. to Sec. 1 of 12, from which  
a W. Oak 10 in. dia. bears N 46° E 17 lks. dist. of  
a Gum 20 " " " N 85° E 24 " "  
Over level land, timber Beech, Oak & Hickory  
underg<sup>th</sup>. green briars.

T8 N. R4 E. 2<sup>d</sup> Mer. Indiana

North On E. boundary of Sec. 1, T8 N. R4 E.

17.80 a Beech 24 in. dia.

32.59 a Brook 6 lbs. wide Course E.

40.00 Set the q. Sec. post, from which  
a W. Oak 14 in. dia. bears S 2 E 19 lbs. dist. &  
a Beech 12 " " " N 75 E 44 " "

85.00 Set a post Cor. to Townships N<sup>o</sup> 8 & 9 North,  
Ranger 4 & 5 E., from which  
a Beech 14 in. dia. bears S 23 E 8 lbs. dist. &  
a Do 10 " " " N 54 E 10 " "

Over rolling land Beech & Oak underg<sup>th</sup>  
briars. June 3<sup>d</sup> 1819.

## North Boundary.

West On Rand<sup>m</sup> S. boundary of Sec. 36, T9 N. R4 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Set temp<sup>y</sup>. post Cor. to Sec. 35 & 36, T9 N. R4 E.  
Very broken land, timber Oak, Beech &c.

West On Rand<sup>m</sup> S. boundary of Sec. 35, T9 N. R4 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Set temp<sup>y</sup>. post Cor. to Sec. 34 & 35, T9 N. R4 E.  
Broken land, timber Oak, Beech & Hickory

West On Rand<sup>m</sup> S. boundary of Sec. 34, T9 N. R4 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Set temp<sup>y</sup>. post Cor. to Sec. 33 & 34, T9 N. R4 E.  
Over rolling land timber Oak, Beech &c.

West On Rand<sup>m</sup> S. boundary of Sec. 33, T9 N. R4 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

48.91 a Brook 8 lbs. wide Course South

80.00 Set temp<sup>y</sup>. post Cor. to Sec. 32 & 33, T9 N. R4 E.

Over Broken land, timber Oak &c. undg<sup>th</sup> briars

West On Rand<sup>m</sup> S. boundary of Sec. 32, T9 N. R4 E.



T<sup>9</sup>N. R<sup>4</sup>E. 2<sup>d</sup>, Mer. Indiana

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.00 Set a temp<sup>y</sup>. post Cor. to Sec<sup>s</sup>. 31 & 32, T<sup>9</sup>N. R<sup>4</sup>E.  
 Over broken land, timber Oak &c und<sup>r</sup>g<sup>r</sup>. briar

Met Outland<sup>m</sup>. S. boundary of Sec. 31, T<sup>9</sup>N. R<sup>4</sup>E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 76.50 Intersected the N<sup>h</sup>S. line 235 lks. N. of post  
 Over broken land, timber Oak &c. und<sup>r</sup>g<sup>r</sup>. briar  
 June 6<sup>th</sup>, 1819.

East On true line S. boundary of Sec. 31, T<sup>9</sup>N. R<sup>4</sup>E.  
 36.50 Set the q<sup>r</sup>. Sec. post, from which  
 a W. Oak 18 in. dia. bray N 73 E 7 lks. dist. of  
 a Do 20 " " " S 57 W 9 " "  
 76.50 Set a post Cor. to Sec<sup>s</sup>. 31 & 32, T<sup>9</sup>N. R<sup>4</sup>E, from which  
 a Beech 6 in. dia. bray N 12 1/2 W 7 lks. dist. of  
 a Do 30 " " " S 5 1/2 W 6 " "

East On true line S. boundary of Sec 32, T<sup>9</sup>N. R<sup>4</sup>E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a B. Oak 24 in. dia. bray N 33 E 34 lks. dist. of  
 a Do 20 " " " S 33 W 16 " "  
 80.00 Set a post Cor. to Sec<sup>s</sup>. 32 & 33, T<sup>9</sup>N. R<sup>4</sup>E, from which  
 a Sugar 10 in. dia. bray S 20 E 10 lks. dist. of  
 a Do 12 " " " N 15 E 28 " "

East On true line S. boundary of Sec. 33, T<sup>9</sup>N. R<sup>4</sup>E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in. dia. bray N 19 1/2 W 21 lks. dist. of  
 a Do 10 " " " S 32 E 13 " "  
 80.00 Set a post Cor. to Sec<sup>s</sup>. 33 & 34, T<sup>9</sup>N. R<sup>4</sup>E, from which  
 a Gum 15 in. dia. bray N 70 W 25 lks. dist. of  
 a W. Oak 16 " " " S 65 1/2 E 33 " "

East On true line S. boundary of Sec. 34, T<sup>9</sup>N. R<sup>4</sup>E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which

# T8 N R4 E 2<sup>d</sup> Mer. Indiana

a W. Oak 40 in. dia. bray N 43 E 3 1/2 lks. dist. of  
 a Elm 20 " " " N 18 W 45 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T9 N. R4 E, from which  
 a W. Oak 18 in. dia. bray N 64 W 2 1/2 lks. dist. of  
 a Hickory 4 " " " S 72 E 2 " "

East On true line S. boundary of Sec. 35, T9 N. R4 E.

40.00 Set the q. Sec. post, from which  
 a Maple 8 in. dia. bray S 3 E 1 1/2 lks. dist. of  
 a Beech 12 " " " N 11 W 24 " "  
 80.00 Set a post Cor. to Sec. 35 & 36, T9 N. R4 E, from which  
 a Beech 13 in. dia. bray N 48 E 1 1/2 lks. dist. of  
 a Do 9 " " " S 22 E 22 " "

East On true line S. boundary of Sec. 36, T9 N. R4 E.

40.00 Set the q. Sec. post, from which  
 a Hickory 7 in. dia. bray N 13 E 1 1/4 lks. dist. of  
 a Maple 7 " " " S 2 W 25 " "  
 80.00 to Cor. of Townships, N. 8, 9 N. Range, N. 4 & 5 E.

## West Boundary.

North On E. boundary of Sec. 36, T8 N. R3 E.

22.20 a W. Oak 18 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 13 in. dia. bray S 61 E 2 1/2 lks. dist. of  
 a Hickory 7 " " " N 61 W 24 " "  
 62.90 a Branch 8 lks. wide Course West  
 77.45 a Do 8 lks. " " N. W.  
 80.00 Set a post Cor. to Sec. 25 & 36, T8 N. R3 E, from which  
 a W. Oak 15 in. dia. bray S 41 E 1 1/4 lks. dist. of  
 a Do 20 " " " N 21 W 37 " "  
 Broken and timber Oak & Hickory  
 underg<sup>th</sup>. Oak & Glassy, Stony hills

North On E. boundary of Sec. 25, T8 N. R3 E.

16.15 a Sugar 18 in. dia. in the line



## T8 N. R4 E. 2. Mer. Indiana

- 16.98 a Creek 40 lks. wide Course W.  
 40.00 Let the gr. Sec. post, from which  
     a Sassafras 6 in. dia. bran N 77 E 9 lks. dist. of  
     a Do 5 " " N 52 W 10 " "  
 56.86 a W. Oak 20 " "  
 62.40 a Branch 8 lks. wide Course S. W.  
 80.00 Let a post cor. to Sec. 24 & 25, T8 N. R4 E, from which  
     a Hickory 20 in. dia. bran N 57 E 15 lks. dist. of  
     a Poplar 18 " " " N 59 E 26 " "  
 This line over broken ground, timber Oak,  
 Hickory, Beech &c. underg. Oak, birch &c. Soil good

- North On E. boundary of Sec. 24, T8 N. R4 E.  
 15.90 a W. Oak 15 in. dia. in the line  
 40.00 Let the gr. Sec. post, from which  
     a W. Oak 18 in. dia. bran N 53 W 24 lks. dist. of  
     a Dogwood 6 " " " N 82 E 25 " "  
 80.00 Let a post cor. to Sec. 13 & 24, T8 N. R3 E, from which  
     a Maple 9 in. dia. bran — 35 1/2 E 8 lks. dist. of  
     a W. Oak 12 " " " N 87 1/2 W 26 " "  
 This mile over hilly brushy ground, timber  
 Oak, underg. Hazel, grape vines &c.

- North On E. boundary of Sec. 13, T8 N. R3 E.  
 8.62 a Beech 24 in. dia.  
 19.90 a Creek 100 lks. wide Course S. W.  
 40.00 Let the gr. Sec. post, from which  
     a Hickory 7 in. dia. bran N 77 W 9 lks. dist. of  
     a W. Oak 27 " " " N 57 1/2 E 8 " "  
 72.76 a Maple 12 " "  
 80.00 Let a post cor. to Sec. 12 & 13, T8 N. R3 E, from which  
     a P. Oak 30 in. dia. bran N 27 W 21 lks. dist. of  
     a W. Oak 24 " " " N 70 E 48 " "  
 This line is over rolling land Creek bottom  
 very rich, timber Oak, Beech &c. underg.  
 Hazel, Green birch &c.

# T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundary of Sec 12, T8 N. R3 E.

13.72 a W. Oak 10 in. dia.

40.00 Let the q. Sec. post, from which  
a Sassafras 8 in. dia. bray N60 W 11 lks. dist. of  
a Dogwood 4 " " " N16 E 20 " "

55.24 a W. Oak 18 " "

80.00 Let a post Cor. to Sec. 1 & 12, T8 N. R3 E, from which  
a Beech 14 in. dia. bray N17 W 18 lks. dist. of  
a Dogwood 4 " " " N58 E 11 " "  
This line over broken land, timber Oak & Beech  
underg<sup>d</sup>. Dogwood, Sassafras &c.

North On E. boundary of Sec. 1, T8 N. R3 E.

10.24 a W. Oak 18 in. dia.

40.00 Let the q. Sec. post, from which  
a Chest. Oak 9 in. dia. bray N56 E 24 lks. dist. of  
a Do 10 " " " N19 W — " "

53.24 a Red Oak 24 " "

84.96 Let a post Cor. to Township 8 & 9 North,  
Range 3 & 4 E, from which  
a W. Oak 13 in. dia. bray N43 W 16 lks. dist. of  
a Maple 9 " " " N10 W 20 " "  
Sand hilly, timber Oak, underg<sup>d</sup>. Hickory,  
Sassafras &c.

Surveyed in 1819 by John McDonald, U.S.

## Subdivision.

August 22<sup>d</sup>. 1819. Variation 6.30 E.

North Between Sec. 35 & 36, T8 N. R4 E.

7.70 a W. Oak 15 in. dia. in the line

20.78 a Spanish Oak 26 in. dia. in the line

28.50 a branch 10 lks. wide Course S80 E.

40.00 Let the q. Sec. post, from which  
a Beech 14 in. dia. bray N86 E 24 lks. dist. of  
a Do 10 " " " S87 W 20 1/2 " "

80.00 a W. Oak 18 in. dia. Marked as Cor. to Sec. 25,  
26, 35 & 36.

S 8 N. R 4 E. T. Mer. Indiana

First  $\frac{1}{2}$  mile flat, timber Beech, W Oak, &c.  
residue rolling, timber W & B. Oak, B. Sack  
& Sassafras, undng<sup>th</sup>.

East On Land<sup>m</sup> between Sec. 25 & 36, S 8 N. R 4 E.

40.00 Set temp<sup>y</sup>. of Sec. post

59.00 a Branch 15 lks. wide Course S.

79.70 Intersected the E. boundary 128 lks. S. of post.  
Land rolling, first  $\frac{1}{2}$  mile, timber W & B. Oak,  
&c. undng<sup>th</sup>. B. Sack & Sassafras - last  $\frac{1}{2}$  mile  
Land level, timber Beech, Gum, W Red Oak,  
Ironwood & Logwood undng<sup>th</sup>.

West on true line between Sec. 25 & 36, S 8 N. R 4 E.

17.96 a Beech 14 in. dia. in the line

39.85 Set of Sec. post at average dist. from which  
a W. Oak 30 in. dia. bray N 3 E 13 lks. dist. of  
a Beech 12 " " " N 19 W 25 " "

79.70 to Section Corner

North Between Sec. 25 & 26, S 8 N. R 4 E.

6.25 a W. Oak 18 in. dia. in the line

33.00 a Branch 8 lks. wide Course N. E.

40.00 Set lks. of Sec. post, from which  
a Beech 18 in. dia. bray N 31 E 41 lks. dist. of  
a Maple 14 " " " N 22 W 40 " "

58.25 a Poplar 18 " " in the line

80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which  
a W Oak 18 in. dia. bray N 76 E 29 lks. dist. of  
a Poplar 18 " " " N 32 W 18 " "

Land hilly & dreadfully thick with Logwood,  
hickory, W. Oak, Red bud & grape vine, timber  
Beech, W. Oak, Poplar, Gum &c. 3 rates.

East On Land<sup>m</sup> between Sec. 24 & 25, S 8 N. R 4 E.

40.00 Set temp<sup>y</sup>. of Sec. post.

Comp?



## T8 N. R4 E. T. Mer. Indiana

- 49.00 a Branch 15 lks. wide Course South  
 51.50 Same 15 " " " North  
 53.00 Same 15 " " " South  
 80.10 Intersected the E. boundary 205 lks. S. of post  
 First 1/2 mile hilly & poor, timber W. Oak & Hickory  
 R. Oak, Dogwood & Ironwood undg. 3<sup>rd</sup> rate

- West Connected between Sec. 24 & 25, T8 N. R4 E.  
 40.05 Set of Sec. post at average dist. from which  
 a Beech 15 in. dia. bear N 19 W 9 lks. dist. of  
 a Do 3 " " " N 38 1/2 E 14 1/2 " "  
 80.10 to Sec. Corner. August 23. 1819

- North Between Sec. 23 & 24, T8 N. R4 E. T. Mer.  
 16.50 a Sugar 12 in. dia. in the line  
 24.00 a Branch 15 lks. wide Course S 70 E.  
 34.30 a Beech 15 in. dia. in the line  
 40.00 Set the of Sec. post, from which  
 a Dogwood 4 in. dia. bear N 10 W 6 1/2 lks. dist. of  
 a Beech 10 " " " S 27 1/2 E 23 " "  
 59.00 a W. Oak 48 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Sugar 14 in. dia. bear N 13 W 28 lks. dist. of  
 a Beech 12 " " " S 3 W 4 " "  
 Land rolling, timber Beech, W. Oak, Hickory,  
 Poplar, Sugar, Ironw. & Dogw. undg. 3<sup>rd</sup> rate

- East On Rand. between Sec. 13 & 24, T8 N. R4 E.  
 40.00 Set temp. of Sec. post  
 80.26 Intersected the E. boundary 248 lks. S. of post  
 Land rolling 2<sup>nd</sup> rate, timber Beech, Poplar  
 W. Red Oak, Sugar, some Spruce undg.

- West Connected between Sec. 13 & 24, T8 N. R4 E  
 13.20 a Beech 18 in. dia. in the line  
 18.70 a Hickory 15 " " " "

## T8 N. R4 E. 2. Mer. Indiana

- 40.13 Set the q. Sec. post at average dist. from which  
 at Beech 6 in. dia. beam S58°W11 lks. dist. of  
 a Do 10 " " " S82°E17 " "  
 45.70 a Beech 24 " " in the line  
 80.26 to Sec. Corner.
- 

## North Between Sec. 13 &amp; 14, T8 N. R4 E

- 40.00 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. beam N43°W10 lks. dist. of  
 a Beech 4 " " " S21°W13 " "  
 52.96 a Beech 14 " " in the line  
 65.50 a Branch 5 lks. wide Course East  
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Gum 12 in. dia. beam S84°W7 lks. dist. of  
 a Beech 14 " " " N88°E10 " "  
 Land rolling, timber Beech, W. Oak, Poplar  
 Gum, Ironwood, Greenbrier underg. 2<sup>nd</sup> rate
- 

East On Rand<sup>m</sup>. between Sec. 12 & 13, T8 N. R4 E.

- 40.00 Set temp<sup>y</sup>. q. Sec. post  
 66.50 a branch 15 lks. wide Course S. E.  
 80.50 Intersected the N & S. line 290 lks. S. of post  
 Land a little rolling, timber Beech, W. Oak, Poplar  
 & Gum some Spruce, Ironwood, Beech, Dogwood underg<sup>th</sup>
- 

## West Corneted between Sec. 12 &amp; 13, T8 N. R4 E.

- 40.25 Set q. Sec. post at average dist. from which  
 a Beech 15 in. dia. beam S78°E27 lks. dist. of  
 a Do 14 " " " N71°W12 1/2 " "  
 80.50 to Sec. Corner.
- 

## North Between Sec. 11 &amp; 12, T8 N. R4 E.

- 37.20 a W. Oak 24 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 12 in. dia. beam S67°W6 lks. dist. of  
 a Do 14 " " " S70°E34 " "

# *T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana*

- 50.50 a branch 15 lks. wide Course S.E.  
 77.78 a W. Oak 20 in. diam. in the line  
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which  
 a W. Oak 24 in. diam. bran N 17 W 22 lks. dist. of  
 a Do 18 " " " S 71 E 9 " "  
 Land rolling 2<sup>d</sup>. rate, timber Beech, W. Oak &  
 B. Oak, Hickory, Ironwood, Dogw. underg<sup>d</sup>.

East On Rand<sup>m</sup>. between Sec. 1 & 12, T8 N. R4 E.

- 40.00 Set temp<sup>y</sup>. q. Sec. post  
 80.81 Intersected the E. boundary 328 lks. S. of post  
 Land for 1<sup>st</sup>. 1/2 mile very hilly, timber Chest.  
 W. W. Oak &c. last 1/2 mile level land, timber  
 Beech, Poplar, W. Oak, Ironwood & Dogwood  
 underg<sup>d</sup>. 2<sup>d</sup>. rate

West Connected between Sec. 1 & 12, T8 N. R4 E.

- 3.60 a Beech 14 in. diam. in the line  
 40.40 1/2 Set q. Sec. post at average dist. from which  
 an Ironwood 4 in. diam. bran S 20 1/2 E 16 1/2 lks. dist. of  
 a Beech 24 " " " N 24 W 25 " "  
 80.81 to Sec. Corner. August 24<sup>th</sup>. 1879

North Between Sec. 1 & 2, T8 N. R4 E.

- 18.80 a W. Oak 18 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 a Chest. Oak 24 in. diam. bran N 45 E 25 lks. dist. of  
 a B. Oak 20 " " " S 76 W 30 " "  
 79.00 a Beech 18 " " in the line  
 88.14 Intersected the N. boundary 150 lks. N. of post  
 Set a post Cor. to Sec. 1 & 2, from which  
 a Beech 12 in. diam. bran N 1 E 15 lks. dist. of  
 a Hickory 14 " " " N 83 E 27 " "  
 Land hilly high & poor, timber Chest. W. W. Oak,  
 Hickory, Beech, some Hazel thickets, Ironwood,  
 Sassafras & Greenbrier



S 8 N. R 4 E. 2<sup>d</sup>. Mer. Indiana

North Between Secs. 34 & 35, S 8 N. R 4 E.  
 24.63 a W. Oak 14 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 18 in. dia. bears N 4 E 16 lks. dist. of  
     a Do 18 " " " S 89 W 31 " "  
 46.40 a W. Oak 15 " " in the line  
 68.00 a Branch 8 lks. wide Course E.  
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from  
     which an Ash 14 in. dia. bears N 35 W 25 lks. dist. of  
     a Beech 10 " " " S 87 E 27 " "  
 Land hilly & poor, timber Chest. W. B. Oaks,  
 Some Beech along the gullies - W. Oak Black  
 Oak undergrowth.

East On Random Between Secs. 26 & 35, S 8 N. R 4 E.  
 20.00 Set a temp. q. Sec. post  
 79.60 Intersected the N. & S. line 7 lks. S. of post  
 Land rolling timber W. & B. Oak Hickory thick  
 undergrowth of dogwood W. Oak, 3<sup>d</sup> rate.

West Corrected between Secs. 26 & 35, S 8 N. R 4 E.  
 1.50 a W. Oak 14 in. dia. in the line  
 13.00 a Do 15 " " " " "  
 39.80 Set q. Sec. post at average dist. from which  
     a W. Oak 18 in. dia. bears N 81 W 24 lks. dist. &  
     a Maple 12 " " " N 41 1/2 E 26. "  
 79.60 To Section Corner

North Between Secs. 26 & 27, S 8 N. R 4 E.  
 7.70 a W. Oak 15 in. dia. in the line  
 40.00 Set q. Sec. post, from which  
     a W. Oak 12 in. dia. bears North 15 lks. dist. &  
     a Do 18 " " " S 15 E 39 " "  
 75.50 a W. Oak 15 " " in the line  
 80.00 Set a post Corner to Secs. 22, 23, 26 & 27, from which  
     a W. Oak 6 in. dia. bears N 55 W 25 lks. dist. &

S 8 N R 4 E 2<sup>nd</sup> Mer. Indiana

a Dogwood 5 in. dia. bears S 45 W 14 chs. dist.  
 Land broken timber W. C. Oak Hickory underg.  
 Dog. W. Oak Sassafras Ironwood 3<sup>rd</sup> rate

East On Random Between Secs. 23 & 26, S 8 N R 4 E.

40.00 Set temp. q. Sec. post.

79.58 Intersected the N. & S. line 55 chs. N. of post

Land Hilly and very thickly timbered W. Oak Beech  
 B. Oak Poplar Gum & undergrowth Ash Dog. Iron.  
 Grapvines.

West Corrected between Secs. 23 & 26, S 8 N R 4 E.

4.12 W. Oak 20 in. dia. in the line

39.79 Set q. Sec. post at average dist. from which  
 a Gum 15 in. dia. bears S 54 1/2 W 29 1/2 chs. dist. &  
 a B. Oak 24 " " " N 55 E 25 " "

79.58 To Section Corner

North Between Secs. 22 & 23, S 8 N R 4 E.

13.50 a Creek 8 chs. wide Course East.

14.50 a B. Oak 14 in. dia. in the line

28.50 a W. Oak 24 " " " " "

33.00 a Creek 5 chs. wide Course S. E.

40.00 Set <sup>the</sup> q. Sec. post, from which  
 a W. Oak 24 in. dia. bears N 12 E 36 chs. dist. &  
 a Do 20 " " " S 65 1/2 E 27 " "

53.06 a B. Oak 30 " " in the line

60.00 a Creek 15 chs. wide Course S. E.

80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which  
 a Beech 14 in. dia. bears N 41 E 19 chs. dist. &  
 a Do 15 " " " S 27 E 16 " "

Land Hilly and covered with almost impassable  
 thickets of Ironwood Dogwood W. B. Oak. Grapvines  
 3<sup>rd</sup> rate &c.

East On Random between Secs. 14 & 23, S 8 N R 4 E.

# St. R. 4 E. T. Mer. Indiana

15.00 a Creek 10 ch. wide Course S. 80 E.  
 28.50 a Do 8 " " " South  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N. & S. line 17 ch. N. of post.  
 Land Hilly timber Beech W. B. & R. Oak underg.  
 Dogwood Hickory W. Oak 3. rate

---

West Corrected between Sec. 14 & 23, St. R. 4 E.  
 40.00 Set q. Sec. post at average dist. from which  
 a Beech 18 in. dia. bears S 84 W 16 ch. dist. &  
 a Sugar 9 " " " N 34 E 26 " "  
 80.00 to Section Corner Aug. 25. 1819.

---

North Between Sec. 14 & 15, St. R. 4 E.  
 7.85 a W. Oak 24 in. dia. bears  
 13.50 a Creek 8 ch. wide Course S. 70 E.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. dia. bears S 35 W 22 1/2 ch. dist. &  
 a Do 25 " " " N 55 E 34 " "  
 59.40 a Gum 24 " " in the line  
 80.00 Set a post Cor. 10 Sec. 10, 11, 14 & 15. from which  
 a W. Oak 14 in. dia. bears S 29 E 13 ch. dist. &  
 a Dogwood 3 " " " N 6 W 24 " "  
 Land very broken timber W. B. & R. Oak Beech Gum  
 & underg. Hickory W. Oak Dogwood Iron. Sassafras &  
 Green briars 3. rate.

---

East On Randon between Sec. 11 & 14, St. R. 4 E.  
 40.00 Set temp. q. Sec. post.  
 79.70 Intersected the N. & S. line 23 ch. N. of post  
 Land as before also timber. &c.

---

West Corrected between Sec. 11 & 14, St. R. 4 E.  
 8.80 a Poplar 40 in. dia. in the line  
 39.85 Set q. Sec. post at average dist. from which  
 a Hickory 5 in. dia. bears S 11 1/2 W 20 ch. dist. &



# T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana

a Hickory 3 in. dia. bears S 77 1/2° E 15 lks. dist.  
79.70 to Section Corner

North Between Secs. 10 & 11, T8 N. R4 E.

30.12 a Sugar 14 in. dia. in the line

30.70 a branch 10 lks. wide Course N.W.

40.00 Set the q. Sec. post, from which  
a Beech 12 in. dia. bears S 87 1/2° W 4 lks. dist. of  
a W. Oak 26 " " " N 4 1/2° W 13 " "

42.14 a Beech 14 " " in the line

50.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which  
a Chest. Oak 14 in. dia. bears N 35° E 14 lks. dist. of  
a Do 7 " " " S 48° W 11 1/2 " "

Land extremely hilly & poor, timber W. Chest.  
Oak, Hickory, some Beech &c. underg. W. Oak,  
Hickory, R. Sack, Greenbrier, 3. or last rate

East On Rand. between Secs. 2 & 11, T8 N. R4 E.

27.00 a branch 18 lks. wide Course South

40.00 Set temp. q. Sec. post

79.90 Intersected the N & S. line 50 lks. N. of post  
Land on this mile is composed of two huge  
hills, timber Chest. & R. Oak, very thickety  
with Sassafras, Black Sack &c.

West On true line between Secs. 2 & 11, T8 N. R4 E.

39.95 Set q. Sec. post at average dist. from which  
a W. Oak 24 in. dia. bears N 15° W 16 lks. dist. of  
a Hickory 5 " " " S 86 1/2° W 24 " "

79.90 to Sec. Corner

North Between Secs. 2 & 3, T8 N. R4 E.

40.00 Set the q. Sec. post, from which

a Dogwood 6 in. dia. bears N 73 1/2° E 14 lks. dist. of

a Sassafras 4 " " " N 63° W 5 " "

55.08 a W. Oak 20 " " in the line

T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana

- 70.00 a P. Oak 20 in. dia. in the line  
 87.36 Intersected the N. boundary 22 lks. W. of post  
 Set a post Cor. to Sec. 27 & 3, from which  
 a W. Oak 18 in. dia. bears North 11 lks. dist. &  
 a Dogw. 6 " " " S 30 $\frac{1}{2}$  E 28 " "  
 Land rolling, timber W. & B. Oak, Beech, Poplar,  
 Ash & Spicewood 2<sup>d</sup>. rate
- 

August 26<sup>th</sup> 1819

North Between Sec. 33 &amp; 34, T8 N. R4 E.

- 40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. dia. bears S 30 $\frac{1}{2}$  E 18 $\frac{1}{2}$  lks. dist. &  
 a Gum 10 " " " N 33 W 21 " "  
 80.00 Set a post Cor. 10 Sec. 27, 28, 33 & 34, from which  
 a C. Oak — in. dia. bears N 11 W 44 lks. dist. &  
 a Do — " " " S 5 $\frac{1}{2}$  E 4 " "  
 Land Hilly and poor thinly timber with C. Oak und-  
 -ergrowth Sassafras Black Hack Hickory 3<sup>d</sup>. rate
- 

East On Random Between Sec. 27 &amp; 34, T8 N. R4 E.

- 40.00 Set temp. q. Sec. post  
 79.00 a Creek 10 lks. wide Course South  
 79.70 Intersected the N & S. line 56 lks. S. of post  
 Land and timbere &c. as on the last Mile
- 

West Corrected between Sec. 27 &amp; 34, T8 N. R4 E.

- 6.68 a Gum 12 in. dia. in the line  
 39.45 Set q. Sec. post, at average dist. from which  
 77.70 a W. Oak 12 in. dia. bears S 40 E 21 lks. dist. &  
 a Do 14 " " " N 35 W 6 " "  
 79.70 To Section Corner
- 

North Between Sec. 27 &amp; 28, T8 N. R4 E.

- 14.60 a C. Oak 20 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Maple 13 in. dia. bears N 29 E 21 lks. dist. &

S 8 N R 4 E 2<sup>d</sup> Mer. Indiana

- a Maple 12 in. dia. bears S 40<sup>W</sup> 27<sup>W</sup> the dist.  
 53.85 a Gum 15 " " in the line  
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28. from which  
 a Ch<sup>t</sup>. Oak 11 in. dia. bears N 77<sup>1</sup>/<sub>2</sub> W 15 the dist. &  
 a Do 12 " " " S 66 E 20 " "  
 Land Hilly and poor timber as before 5<sup>d</sup> rate
- 

- East On Random between Sec. 22 & 27. S 8 N R 4 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
 79.65 Intersected the N. & S. line 100 ch. S. of post.  
 Land Hilly Steep. and high timber W. C. Oak Hick<sup>y</sup>.  
 Beech &c. undergrowth W. Oak Sassafras Hick<sup>y</sup>. B. Larch  
 & grapevine green briars plenty 3<sup>d</sup> rate
- 

- West Corrected between Sec. 22 & 27 S 8 N R 4 E.  
 39.73 W. Oak 18 in. dia. in the line  
 39.82<sup>1</sup>/<sub>2</sub> Let q<sup>r</sup>. Sec. post, <sup>at average dist.</sup> from which  
 a W. Oak 18 in. dia. bears East 9<sup>1</sup>/<sub>2</sub> ch. dist. &  
 a Ch<sup>t</sup>. Oak 12 " " " S 26<sup>1</sup>/<sub>2</sub> W 9 " "  
 79.65 To Section Corner
- 

- North Between Sec. 21 & 22, S 8 N R 4 E.  
 3.80 a Ch<sup>t</sup>. Oak 15 in. dia. in the line  
 39.20 a Beech 15 " " " " "  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 14 in. dia. bears N 80 E 4 ch. dist. &  
 a Do 14 " " " S 10 E 40 " "  
 40.50 a Creek 8 ch. wide Course East  
 47.26 a W. Oak 15 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22. from which  
 a B. Oak 18 in. dia. bears N 33<sup>W</sup> 12 ch. dist. &  
 a Hickory 4 " " " S 70 E 21 " "  
 Land Hilly timber C. W. & B. Oak Beech 3<sup>d</sup> rate
- 

- East On Random between Sec. 15 & 22, S 8 N R 4 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post



## S 8 N. R 4 E. T. Mer. Indiana

79. 60 Intersected the N & S. line 70 chs. S. of post  
Land extremely Hilly timber as befor. Aug. 27

---

West Corrected between Sec. 15 & 22. S 8 N. R 4 E.

39. 80 Set q. Sec. post at average dist. from which  
a Beech 12 in. dia. bears S 40 W 40. chs. dist. 4  
a Do 14 " " " N 34 E 21 " "

79. 60 To Section Corner.

---

North Between Sec. 15 & 16. S 8 N. R 4 E.

29. 85 a Gum 14 in. dia. in the line

40. 00 Set the q. Sec. post. from which  
a Beech 13 in. dia. bears N 51 W 25 chs. dist. 4  
a Do 12 " " " S 70 E 6 " "

62. 08 a Poplar 24 " " in the line

80. 00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
a W. Oak 24 in. dia. bears N 35 E 10 chs. dist. 4  
a Sugar 13 " " " S 59 W 34 " "  
Land very Hilly timber &c. as on the last Mile

---

East On Random between Sec. 10 & 15. S 8 N. R 4 E.

39. 00 a Creek 10 chs. wide Course North

40. 00 Set temp. q. Sec. post

79. 40 Intersected the N & S. line 40 chs. S. of post  
Land Hilly and very thickly timbered undergrowth as on  
the last Mile

---

West Corrected between Sec. 10 & 15. S 8 N. R 4 E.

38. 99 a W. Oak 20 in. dia. in the line

39. 70 Set q. Sec. post at average dist. from which  
a Sugar 10 in. dia. bears S 81 E 28. chs. dist. 4  
a Beech 14 " " " S 75 W 19 " "

79. 40 To Section Corner

---

North Between Sec. 9 & 10. S 8 N. R 4 E.

7. 76 a Beech 18 in. dia. in the line

## S. N. R. 4 E. 2. Mer. Indiana

- 9.50 a Poplar 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Gum 10 in. dia. bears N 60 E 36 ch. dist. 4.  
     a W. Oak 24 " " " S 47 W 34 " "  
 58.50 a Creek 20 ch. wide Course N. W.  
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
     a W. Oak 12 in. dia. bears N 48 W 20 ch. dist. 4  
     a Poplar 6 " " " N 73 1/2 E 26 " "  
 Land hilly high and steep timber &c. as on the last  
 Mile undergrowth Ironwood Dogwood &c 5<sup>th</sup> rate

- East On Random between Sec. 3 & 10, S. N. R. 4 E.  
 27.50 a Creek 20 ch. wide Course South  
 40.00 Set temp. q. Sec. post  
 79.50 Intersected the N. & S. line 4 ch. South of post  
 Land entirely hilly and stony timber as on the  
 last Mile undergrowth Lasafrap Dogwood &c.

- West Corrected between Sec. 3 & 10, S. N. R. 4 E.  
 39.75 Set q. Sec. post at average dist. from which  
     a Sugar 12 in. dia. bears N 16 W 12 1/2 ch. dist. 4  
     a Do 12 " " " West 24 " "  
 79.50 to Section Corner

- North Between Sec. 3 & 4, S. N. R. 4 E.  
 18.00 a Creek 10 ch. wide Course S. 20 W.  
 21.13 a Beech 14 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 10 in. dia. bears N 61 E 32 ch. dist. 4  
     a Do 18 " " " S 63 1/2 E 19 " "  
 87.00 Intersected the N. boundary 72 ch. East of post  
 Set a post Cor. to Sec. 3 & 4, from which  
     a W. Oak 14 in. dia. bears S 66 W 43 ch. dist. 4  
     a B. Oak 26 " " " S 8 1/2 W 34 " "  
 Land uncommonly hilly and stony and thickly timbered  
 with W. & B. Oak Hickory Beech Poplar undergrowth

## S 8 N R 4 E. T. Mer. Indiana

Lasafras W. & B. Oak Hickory &c. 3. rate. Aug. 28<sup>th</sup>.

North Between Secs. 32 & 33, S 8 N. R 4 E.  
 4. 00 a Creek 10 chs. wide Course S 80 W.  
 11. 48 a W. Oak 18 in. dia. in the line  
 40. 00 Set the q. Sec. post, from which  
     a Hickory 12 in. dia. bears North 23 chs. dist. &  
     a W. Oak 18 " " " S 25 W 27 " "  
 73. 50 a Poplar 30 " " in the line  
 80. 00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which  
     a B. Oak 14 in. dia. bears N 75 E 8 chs. dist. &  
     a W. Oak 12 " " " N 66 W 17 1/2 " "  
 Land rolling timber B. Gum W. Oak Beech Poplar  
 B. Oak undergrowth Dogwood Iron. &c. 3. rate

East On Random between Secs. 28 & 33, S 8 N. R 4 E.  
 40. 00 Set temp'y. q. Sec. post  
 78. 86 Intersected the N. & S. line 67. chs. South of post  
 Land Hilly timber and undergrowth as on the last Mile

West Corrected between Secs. 28 & 33, S 8 N. R 4 E.  
 19. 80 a W. Oak 14 in. dia. in the line  
 39. 43 Set q. Sec. post at average dist. from which  
     a Gum 14 in. dia. bears N 74 W 9 chs. dist. &  
     a Dogwood 3 " " " S 62 E 17 " "  
 78. 86 To Section Corner

North Between Secs. 28 & 29, S 8 N. R 4 E.  
 6. 22 a Poplar 26 in. dia. in the line  
 27. 86 a B. Oak 18 " " " " "  
 33. 00 a Creek 10 chs. wide Course West  
 40. 00 Set the q. Sec. post, from which  
     a Maple 12 in. dia. bears N 38 E 22 chs. dist. &  
     a Beech 12 " " " S 43 W 27 " "  
 80. 00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which  
     a Spa<sup>th</sup> Oak 20 in. dia. bears N 80 1/2 E 40 chs. dist. &

S. N. R. & E. 2<sup>d</sup> Mer. Indiana

a Dogwood 3 in. dia. bears N 84 W 22 lbs. dist. 11  
 Land Hilly timber W. B. Oak Beech Gum undergrowth  
 Dogwood Ironwood Sassafras and Greenbriers 3<sup>d</sup> rate.

East On Random between Secs. 21 & 28, S. N. R. & E.  
 40.00 Set temp'y. q. Sec. post  
 78.75 Intersected the N. & S. line 25 lbs. S. of post  
 Land Hilly and very high timber W. Oak Ch. Oak Hickz.  
 Gum &c. undergrowth Sassafras Black Jack Hickz. Green  
 briers &c. 3<sup>d</sup> rate.

West Corrected between Secs. 21 & 28, S. N. R. & E.  
 37.04 a Poplar 24 in. dia. in the line  
 39.37 Set q. Sec. post at average dist. from which  
 an Ironwood 4 in. dia. bears S 59 E 7 lbs. dist. 8  
 a Do 8 " " " S 66 W 25 " "  
 78.75 to Section Corner

North Between Secs. 20 & 21, S. N. R. & E.  
 27.44 a W. Oak 14 in. dia. in the line  
 40.00 Set the q. Sec. post from which  
 a Beech 12 in. dia. bears N 3 1/2 W 19 lbs. dist. 4  
 a Do 10 " " " S 54 E 31 " "  
 67.00 a B. Oak 20 " " in the line  
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which  
 a Beech 15 in. dia. bears S 13 W 13 lbs. dist. 8  
 a Do 12 " " " N 79 E 20 " "  
 Land and timber as on the last Mile, 3<sup>d</sup> rate

East On Random between Secs. 16 & 21, S. N. R. & E.  
 40.00 Set temp'y. q. Sec. post  
 78.86 Intersected the N. & S. line 74 lbs. South of post  
 Land timber &c. as on the last Mile. Aug. 29.

West Corrected between Secs. 16 & 21, S. N. R. & E.  
 39.43 Set q. Sec. post at average dist. from which



S 8 N. R 4 E. 2<sup>d</sup>. Mer. Indiana

an Ash 18 in. dia. bears East  $4\frac{1}{2}$  lks. dist.  $\frac{1}{2}$   
 a W. Oak 18 " " " N 61 $\frac{1}{2}$  W 21 " "

78.86 to Section Corner

North Between Secs. 16 & 17, S 8 N. R 4 E. ....

19.00 a W. Oak 20 in. dia. in the line

39.50 a Creek 10 lks. Wide Course N. W.

40.00 Set the q. Sec. post, from which

a Hickory 6 in. dia. bears N 57 $\frac{1}{2}$  W 24 lks. dist.  $\frac{1}{2}$

a Poplar 10 " " " S 86 $\frac{1}{2}$  E 14 $\frac{1}{2}$  " "

54.70 a Hickory 28 " " in the line

90.00 Set a post Corner to Secs. 8, 9, 16, & 17, from which

a W. Oak 18 in. dia. bears S 63 $\frac{1}{2}$  W 31 lks. dist.  $\frac{1}{2}$

a do 18 " " " N 32 E 7 " "

Land and timber as on the last Mile,

East On Random between Secs. 9 & 16, S 8 N. R 4 E.

3.00 a Creek 10 lks. wide Course South

40.00 Set temp. q. Sec. post.

79.00 Intersected the N. & S. line 1.16 lks. South of post

Land uncommonly Hilly Steep and High one soled  
 thicket for last Mile of Sassafras grape vines & Green  
 briars timber W. Oak 12. Oak poplar Gum &c. 3<sup>d</sup> rate

West Corrected between Secs. 9 & 16, S 8 N. R 4 E.

8.00 a P. Oak 18 in. dia. in the line

39.50 Set the q. Sec. post at average dist. from which

a P. Oak 30 in. dia. bears N 77 $\frac{1}{2}$  E 8 lks. dist.  $\frac{1}{2}$

a W. Oak 24 " " " S 70 $\frac{1}{2}$  W 45 " "

79.00 to Sec. Corner

North Between Secs. 8 & 9, S 8 N. R 4 E.

38.25 a Gum 18 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Red Oak 6 in. dia. bears N 48 $\frac{1}{2}$  W 5 $\frac{1}{2}$  lks. dist.  $\frac{1}{2}$

a Sassafras 8 " " " S 86 $\frac{1}{2}$  E 34 " "

## S8 N R4 E. T. Mer. Indiana

56. 20 a Beech 18 in. dia. in the line  
 80. 00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a W. Oak 18 in. dia. bears N 71° 35' E. 1/2 dist. &  
 a Beech 14 " " " S 28° 45' " "  
 Land Hilly and very thickly timbered W. B. Oak Gum  
 Some Beech & Sugar, undergrowth Ironwood Dogwood  
 W. Oak Hickory Hazel and Spice -

- East On Randon Between Sec. 4 & 9, S8 N, R4 E.  
 40. 00 Set temp. y. of Sec. post  
 58. 00 a Creek 20 lks. wide Course N. W.  
 68. 00 Same " " " S. W.  
 79. 00 Intersected the N. & S. line 10.3 lks. S. of post  
 Land Broken & Hilly high steep. timber W. Oak B. Oak  
 Hickory Beech Gum undergrowth W. Oak Dog. Beech Iron.

- West Corrected between Sec. 4 & 9, S8 N R4 E.  
 39. 50 Set of Sec. post at average dist. from which  
 a W. Oak 20 in. dia. bears S 88° 11' 12" E. 1/2 dist. &  
 a Beech 12 " " " N 53° E 30 " "  
 79. 00 To Section Corner

- North Between Sec. 4 & 5, S8 N, R4 E.  
 13. 50 a Creek 20 lks. wide Course W.  
 18. 70 a Poplar 20 in. dia. in the line  
 40. 00 Set the of Sec. post, from which  
 a W. Oak 18 in. dia. bears N 71° 41' 20" E. 1/2 dist. &  
 a Hickory 6 " " " N 37° E 21 " "  
 57. 40 a W. Oak 18 " " in the line  
 66. 00 a Creek 25 lks. wide Course West  
 86. 70 Intersected the N. boundary 107 lks. East of post  
 Set a post Cor. to Sec. 4 & 5, from which  
 a Sugar 14 in. dia. bears S 44° 11' 18" E. 1/2 dist. &  
 a Beech 6 " " " N 72° E 23 " "  
 Land Hilly timber Beech W. Oak B. Oak Gum Sugar 3. rate

T8 N. R4 E. 2<sup>d</sup>. Mer. Indiana

North Between Sec. 31 & 32, T8 N. R4 E.

18.24 a B. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Dogwood 4 in. dia. bears N24E 22 chs. dist. 4

a Do 3 " " " S49W 17 " "

59.88 a W. Oak 14 " " in the line

80.00 Set a post Cor. to Sec. 31, 32, 29 & 30. from which

a W. Oak 15 in. dia. bears S15E 17 chs. dist. 4

a Dog? 3 " " " N39W 10 " "

Sand rolling timber W. B. Oak Hickory Ash Beech  
undergrowth as before 3<sup>d</sup>. rate

East On Random between Sec. 29 & 32, T8 N. R4 E.

40.00 Set temp. q. Sec. post.

79.56 Intersected the N. & S. line 41 chs. South of post

Sand rolling, timber W. B. Oak, Poplar, Beech  
Hickory &c. 2<sup>d</sup>. rate

West Corrected between Sec. 29 & 32, T8 N. R4 E.

39.78 Set q. Sec. post at average, dist from which  
a W. Oak 12 in. dia. bears S87W 14 chs. dist. 4  
a Dogw? — " " " S75E 20 " "

79.56 to Sec. Corner.

West Between Sec. 30 & 31, T8 N. R4 E.

15.70 a W. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Hickory 12 in. dia. bears S53W 18 chs. dist. 4

a Do 8 " " " N34E 15 " "

55.28 a Blk. Walnut 14 in. dia. in the line

82.24 Intersected the N. boundary 96 chs. N. of post

Set a post Cor. to Sec. 30 & 31, from which

a W. Oak 18 in. dia. bears N35E 39 chs. dist. 4

a Do 18 " " " S39W 39 " "

Sand hilly, timber W. B. Oak, Hickory, Beech  
Gum &c.

# S. N. R4 E. 2<sup>nd</sup> Mer. Indiana

North Between Sec. 29 & 30, T8 N. R4 E.

40.00 Set the q. Sec. post, from which  
an Ironwood 7 in. dia. bran N58 W 16 lks. dist. of  
a Do 5 " " " N32 E 7 " "

69.85 a W. Oak 14 in. dia. in the line

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
a Hickory 6 in. dia. bran N75 E 7 1/2 lks. dist. of  
a W. Oak 4 " " " N37 1/2 W 7 " "  
Sand rolling, timber W & B. Oak, Beech, Hickory  
Cumm. &c. undg.<sup>th</sup> Sassafras, red bud, W. Oak & Hickory.

East On Random between Sec. 20 & 29, T8 N. R4 E.

25.50 a Branch 10 lks. wide Course north

40.00 Set temp. q. Sec. post

80.40 Intersected the N & S. line 6 lks. N. of post  
Sand hilly, timber W & B. Oak, Hickory, Beech  
Cumm. - undg.<sup>th</sup> Dogw. Ironw. W. Oak & Hickory

West Corrected between Sec. 20 & 29, T8 N. R4 E.

32.35 a W. Oak 18 in. dia. in the line

40.20 Set q. Sec. post at average dist. from which  
a W. Oak - in. dia. bran N89 E 40 lks. dist. of  
a Beech 15 " " " N63 W 25 " "

80.40 to Sec. Corner.

West Between Sec. 19 & 30, T8 N. R4 E.

40.00 Set the q. Sec. post, from which  
a Hickory 14 in. dia. bran N15 E 14 lks. dist. of  
a Dogw. 4 " " " N5 1/2 E 16 " "

64.43 a Hickory 12 in. dia. in the line

81.90 Intersected the W. boundary 107 lks. N. of post  
Set a post Cor. to Sec. 19 & 30, from which  
a Sugar 12 in. dia. bran N16 W 25 lks. dist. of  
a Maple 18 " " " N41 E 35 " "  
Sand hilly, timber W & B. Oak, Hickory, Sugar,  
Beech &c. undg.<sup>th</sup> Ironw. Dogw. &c. 3<sup>rd</sup> rate



## S. N. R. &amp; C. J. Mer. Indiana

August 31<sup>st</sup> 1819

North / Between Sec. 19 &amp; 20, T8 N. R4 E.

17.25 a Beech 15 in. dia. in the line

40.00 Set the q. Sec. post. from which

a Beech 8 in. dia. bears N 40 E 23 lks. dist. 1/2

a Sugar 12 " " " S 40 W 4 " "

70.50 a Creek 20 lks. wide Course N 20 E.

73.50 a Sycamore 18 in. dia. in the line

74.50 a Creek 2 lks. wide Course N 20 W.

80.00 Set a post Cor. To Sec. 17, 18, 19 &amp; 20; from which

a Beech 6 in. dia. bears N 66 W 14 lks. dist. 1/2

a Do 6 " " " S 70 E 38 " "

Land Mountainous deep gulfs and stony timber &c as  
on the last Mile

East On Random between Sec. 17 &amp; 20, T8 N. R4 E.

40.00 Set temp. q. Sec. post

59.00 a Creek 15 lks. wide Course North

80.30 Intersected the N. &amp; S. line 71 lks. North of post

Land Rough and Mountainous &amp; steep timber as before

West Corrected between Sec. 17 &amp; 20, T8 N. R4 E.

14.65 a Poplar 36 in. dia. in the line

40.15 Set q. Sec. post at average dist. from which

a Beech 13 in. dia. bears S 5 1/2 E 32 lks. dist. 1/2

a Do 15 " " " N 33 E 26 " "

80.30 To Section Corner

West Between Sec. 18 &amp; 19, T8 N. R4 E.

5.00 a Creek 15 lks. wide Course North

9.70 a B. Oak 24 in. dia. in the line

40.00 Set the q. Sec. post. from which

a Ironwood 4 in. dia. bears N 54 W 17 1/2 lks. dist. 1/2

a Beech 12 " " " S 49 E 21 " "

47.75 a B. Oak 18 " " in the line

80.26 Intersected the W. boundary 20 lks. North of post

## S. N. R. &amp; E. I. Mer. Indiana

Set a post Cor. to Sec. 18 & 19, from which  
 a W. Oak 15 in. dia. bears S 10 E 36 chs. dist. 1/2  
 a P. Oak 3 " " " N 5 E 23 " "  
 Land timber 1/2c as on the last mile

North Between Sec. 17 & 18, S. N. R. & E.

- 12.46 a Hickory 18 in. dia. in the line  
 37.00 a Creek 20 chs. wide Course N. 20 W.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 12 in. dia. bears N 29 W 29 chs. dist. 1/2  
 a Do 12 " " " N 80 E 15 " "  
 49.00 a Creek 25 chs. wide Course West  
 71.50 a Do 10 " " " S. 20 E.  
 80.00 Set a post Corner to Sec. 7, 8, 17 & 18, from which  
 a W. Oak 14 in. dia. bears N 31 W 16 1/2 chs. dist. 1/2  
 a Sugar 10 " " " S 30 1/2 W 36 " "  
 Land level along the branch timber W. Oak Beech Sugar  
 Ash undergrowth Spice 2<sup>d</sup> rate

East On Brandon between Sec. 8 & 17, S. N. R. & E.

- 33.50 a Creek 25 chs. wide Course S. 10 W.  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N. & S. line 1.74 chs. N. of post  
 Land uncommon Hilly and Stony timber W. & B. Oak Hick. 1/2  
 B. Oak & Ch. Oak undergrowth Sassafras dog. Hick. 3<sup>d</sup> rate

West Corrected between Sec. 8 & 17, S. N. R. & E.

- 8.20 a W. Oak 15 in. dia. in the line  
 40.00 Set q. Sec. post at average dist. from which  
 a B. Oak 24 in. dia. bears N 2 W 44 chs. dist. 1/2  
 a Hickory 5 " " " S 21 W 23 " "  
 80.00 To Section Corner

West Between Sec. 7 & 18, S. N. R. & E.

- 4.68 a Sycamore 30 in. dia. in the line  
 5.00 a Creek 5 chs. wide Course South

S. N. R. & E. 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
a Beech 14 in. dia. bears N 70 W. 22 chs. dist. 8  
a W. Oak 14 " " " N 66 E 20 " "
- 44.55 a B. Oak 18 " " in the line
- 70.00 a Creek 5 chs. wide Course South
- 78.80 Intersected the W. boundary 2.4 chs. N. of post  
Set a post Cor To Sec. 7 & 8. from which  
a Dogwood 4 in. dia. bears S 18 W 7 chs. dist. 8  
a W. Oak 12 " " " N 7 1/2 W 11 1/2 " "  
Land Rolling timber W. Oak B. Oak Beech Gum undery.  
W. Oak Hick. Sassafras and some Green briar

- North Between Sec. 7 & 8, S. N. R. & E. Sept. 1<sup>st</sup> 1819
- 36.95 a W. Oak 14 in. dia. in the line
- 40.00 Set the q. Sec. post, from which  
a W. Oak 14 in. dia. bears N 12 E 25 chs. dist. 8  
a Do 15 " " " S 1 1/2 E 27 " "
- 65.10 a W. Oak 14 " " in the line
- 80.00 Set a post Corner To Sec. 5, 6, 7 & 8, from which  
a W. Oak 12 in. dia. bears North 28 chs. dist. 8  
a Do 15 " " " S 41 E 8 1/2 " "  
Land Hilly timber as on the last Mile

- East On Random between Sec. 5 & 8, S. N. R. & E.
- 18.50 a Creek 10 chs. wide Course South
- 40.00 Set temp. q. Sec. post
- 52.50 a Creek 5 chs. wide Course S. E.
- 69.00 a Do 20 " " " S. W.
- 79.76 Intersected the N. & S. line 200 chs. North of post  
Land and timber as on the last Mile 3<sup>d</sup> rate

- West Corrected between Sec. 5 & 8, S. N. R. & E.
- 32.08 a W. Oak 18 in. dia. in the line
- 39.88 Set q. Sec. post at average dist. from which  
a W. Oak 26 in. dia. bears S 49 1/2 W 22 1/2 chs. dist. 8  
a Hickory 10 " " " N 42 E 15 " "

S. N. R. & E. 2<sup>n</sup> Mer. Indiana

79. 76 to Section Corner

West Between Secs. 6 & 7. S. 4 N. R. 4 E.  
 21. 54 a W. Oak 18 in. dia. in the line  
 26. 50 a Creek 5 chs. wide Course South  
 40. 00 Set the q. Sec. post, from which  
 a Hickory 8 in. dia. bears N 76 W 22 chs. dist. 4  
 a do 4 " " " S 55 E 5 " "  
 52. 18 a B. Oak 20 " " in the line  
 78. 33 Intersected the W. boundary 248 chs. North of post  
 Set a post Corner To Sec. 6 & 7. from which  
 a W. Oak 14 in. dia. bears N 20 E 23 chs. dist. 4  
 a Gum 15 " " " S 9 E 33 " "  
 Land timber &c. as on the last Mile 3<sup>d</sup> rate

North Between Secs. 5 & 6. S. 4 N. R. 4 E.  
 12. 05 a B. Oak 15 in. dia. in the line  
 20. 70 a Creek 10 chs. wide Course East  
 40. 00 Set the q. Sec. post, from which  
 a Beech 6 in. dia. bears N. 12 W 6 chs. dist. 4  
 an Ironwood 4 " " " S 35 E 22 " "  
 55. 50 a Creek 8 chs. wide Course East  
 57. 60 a W. Oak 24 in. dia. in the line  
 59. 00 a Creek 10 chs. wide Course S. E.  
 55. 92 Intersected the North boundary 1.14 chs. East of post.  
 Set a post Corner To Sec. 5 & 6. from which  
 a B. Oak 6 in. dia. bears S 35 W 19 chs. dist. 4  
 a do 12 " " " N 22 E 13 " "  
 Land Hilly timber &c. as on the last Mile 3<sup>d</sup> rate.  
 Surveyed by A. C. Looker, Dep. Surveyor

Comp<sup>d</sup>



I certify that the foregoing transcript of field notes of Township N.° 8 North, of Range N.° 4 E. 2. Mer. Indiana has been compared with the original notes in this office and found to be correct.

Surveyor General's Office  
Cincinnati, July 19<sup>th</sup> 1841

Q. S. Haines  
Sur. Genl.